



DECEMBER 11-12, 2025
۲۱ و ۲۰ آذر ماه ۱۴۰۴



دومین کنگره
پلازما پزشکی ایران

The 2nd Congress on Plasma Medicine

دبیرخانه دائمی کنگره
پلازما پزشکی ایران
www.plasmamedsym.ir



Cold Atmospheric Plasma Surface Modification of PCL/CMC Scaffold for Cartilage Tissue Engineering

Marjan Mohammadali¹, Shiva Irani², Seyed Mohammad Atyabi¹, Fereshteh Sharifi^{3*}

¹Department of NanoBiotechnology, Pasture Institute of Iran, Tehran, Iran

²Department of Biology, SR.C., Islamic Azad University, Tehran, Iran

³Department of Biology, CT.C., Islamic Azad University, Tehran, Iran

OPEN ACCESS

Citation:

Mohammadali M, Irani S, Atyabi SM, Sharif F. Cold Atmospheric Plasma Surface Modification of PCL/CMC Scaffold for Cartilage Tissue Engineering. *Iran Biomed J. Supplementary* (2-2026): 6.



This article is licensed under a Creative Commons Attribution-NonDerivatives 4.0 International License.

ABSTRACT

Introduction: Surface modification is a crucial aspect in tissue engineering (TE) applications. This study aimed to use cold atmospheric plasma (CAP) for the surface modification of polycaprolactone (PCL) and carboxymethyl chitosan (CMC), creating a practical scaffold for cartilage TE.

Materials and Methods: The morphology and chemical properties of the PCL/CMC scaffolds were evaluated by scanning electron microscopy, contact angle measurements, and Fourier-transform infrared spectroscopy. The biocompatibility of the treated scaffold was assayed on human mesenchymal stem cells (hMSCs) using MTT at 72 hours. The chondrogenic differentiation of hMSCs was studied using *SOX9* and *COL2* gene expression through polymerase chain reaction and by detecting *COL2* protein using immunocytochemistry tests.

Results and Discussion: Electrospinning of PCL/CMC produced a structure resembling the natural extracellular matrix. CAP treatment improved the surface properties of PCL/CMC, introducing functional groups. Based on the *in vitro* results, PCL/CMC was biocompatible, and specific genes related to chondrogenic differentiation, *SOX9* and *COL2*, were expressed. In addition, the detection of chondrogenic differentiation of hMSCs was confirmed by *COL2* protein.

Conclusion: PCL polymer exhibits hydrophobic characteristics and has a limited capacity for cellular recognition. The combination of PCL and CMC effectively addresses these limitations. Thus, plasma surface modification could enhance the overall performance of the scaffold.

Keywords: Chondrogenic differentiation, Cold atmospheric plasma, Surface modification, Tissue engineering

Corresponding Author: Fereshteh Sharifi

Department of Biology, CT.C., Islamic Azad University, Tehran, Iran; E-mail: Fer.sharifi.368@iau.ac.ir

